


Engineering progress
Enhancing lives

RAUKANTEX eco.protect

Nachhaltige Kanten



RAUKANTEX eco

Unsere erstes Kantenband aus 50% post-industrial Rezyklaten

Material: Polypropylen (PP) mit einem Anteil von 50 % Rezyklaten aus post-industriellen Quellen.

Verfügbar als: RAUKANTEX pure – Haftvermittlerkante
RAUKANTEX pro – Nullfugenkante

Produktlinien: RAUKANTEX color, decor, designo

Kantenbanddicken: 0,4 – 3,0 mm

Kantenbandbreiten: 16,0 – 64,0 mm

Prägungen: Alle Prägungen für Kalandern und Extrusion verfügbar


Lacke: Edelmatt bis Mirror-Gloss

Funktionsschichten: alle gängigen Funktionsschichten

Branchen: Büro, Wohnen, Küche, Bad, Outdoor
(Türenindustrie auf Anfrage)

Design,
Haltbarkeit,
Qualität analog
PP-Kante

Gleiche
Maschinen-
parameter,
keine
Anpassung
nötig



RAUKANTEX evo

Unser erstes Kantenband, das Rohöl spart. Mit ISCC-Zertifizierung transparent in seiner gesamten Lieferkette.

Material:	100% Polypropylen (PP)
Verfügbar als:	RAUKANTEX pure - Haftvermittlerkante RAUKANTEX pro – Nullfugenkante
Produktlinien:	RAUKANTEX color, decor, designo
Kantenbanddicken:	0,4 – 3,0 mm
Kantenbandbreiten:	16,0 – 104,0 mm
Prägungen:	Alle Prägungen für Kalandern und Extrusion verfügbar
Lacke:	Edelmatt bis Mirror-Gloss
Funktionsschichten:	alle gängigen PP-Funktionsschichten
Branchen:	Büro, Wohnen, Küche, Bad, Outdoor, Türenindustrie

Design,
Haltbarkeit,
Qualität analog
PP-Kante

Gleiche
Maschinen-
parameter,
keine
Anpassung
nötig




Engineering progress
Enhancing lives

RAUKANTEX eco.protect

Sustainable edgebands




RAUKANTEX eco

Our first edgeband made from 50% post-industrial recyclates

Material:	Polypropylene (PP) with a share of 50% of post-industrial recyclates
Available as:	RAUKANTEX pure – primer edgeband RAUKANTEX pro – zero joint edgeband
Product lines:	RAUKANTEX color, decor, designo
Edgeband thicknesses:	0.4 – 3.0 mm
Edgeband widths:	16.0 – 64.0 mm
Embossing:	All embossings for calender and extrusion available
Lacquers:	Noble-matt to Mirror-Gloss
Functional layers:	All current PP functional layers
Sectors:	Office, living room, kitchen, bathroom, outdoor (door industry on request)

Design,
Durability,
Quality as a
usual PP-
edgeband

Same machine
parameters, no
adjustment
necessary



Sample Box

RAUKANTEX evo

Our first ISCC-certified edgeband line we have on the market, the use of which does not create any additional requirement for crude oil.

Material:	100% Polypropylene (PP)
Available as:	RAUKANTEX pure - primer edgeband RAUKANTEX pro – zero joint edgeband
Product lines:	RAUKANTEX color, decor, designo
Edgeband thicknesses :	0.4 – 3.0 mm
Edgeband widths:	16.0 – 104.0 mm
Embossing:	All embossings for calender and extrusion available
Lacquers:	Noble-matt to Mirror-Gloss
Functional layers :	All current PP functional layers
Sectors :	Office, living room, kitchen, bathroom, outdoor, door industry



Design,
Durability,
Quality as a
usual PP-
edgeband

Same machine
parameters, no
adjustment
necessary