

The perfect furniture part with REHAU

Your components as from one piece:

- Jointless and top quality with our ZERO JOINT EDGE
- Decor and colour to match the board
- Digital printing for complex decors
- Matching lacquer finish and embossing
- Frameless due to decorated/pigmented milling radius
- Frameless due to matt/glossy milling radius

In addition we offer:

EXPERIENCE

SERVICE

FUNCTIONS

SUSTAINABILITY












RAUKANTEX health.protect

RAUKANTEX scratch.protect

The "Laser" success story goes on...

















\$

Guaranteed legal security

for the purchase and processing of laser edges

For every requirement the right functional layer




New applications

Special functional layer formulations for new applications

- Edgebanding of acrylic boards
- Edgebanding of honeycomb boards or core based on PP- or PVC-foam
- Lightweight boards for caravaning, boat or technical products
- Folding applications:
 - ✓ Technical products
 - ✓ Outdoor-Kitchens
 - ✓ Transport/Packaging
 - ✓ Automotive
 - ✓ Caravaning
 - ✓ Door rebates











RAUKANTEX folding

For all corners and edges

- The edgeband for special applications → e.g. handleless fronts
- Edge can be deformed in the process → e.g. beveled edges / softforming edge etc.
- Available as PRO and PURE





RAUKANTEX pigmento

See and feel the difference

Ceramics, concrete, stone: the trend toward structured surfaces continues unabated.

For these furnishings to be enjoyed for many years, they must withstand the rigours of everyday use.

→ This is exactly why we developed RAUKANTEX pigmento.

Perfect match in combination with zero-joint edgebands





RAUKANTEX contura

the country house style edge

- 28 x 3
- 53 x 3 mm
- Finish: uni, decor on request,
- without embossing
- from super matt to standard
- in pure and pro

Perfect match in combination with zero-joint edgeband RAUKANTEX pro





RAUKANTEX scratch.protect



Scratch Resistance

- √ High scratch resistance
- √ High quality over the component lifetime





Easy Care

- √ Easy to clean and insensitive to dirt particles
- ✓ Durable matt look and no optical ageing effects
- √ no optical aging effect





Anti-Fingerprint & Soft Touch

- ✓ No markings due to fingerprints
- √ Soft touch





RAUKANTEX scratch.protect



Anti-Sheen-Effect

- ✓ No shining up of the surface in the dull viewing angle
- √ Fine, even structure





Easy Processing


- √ No "smoothing" of the edge surface by feelers
- √ No protective foil necessary
- √ Stable and simplified production
- √ Available for all processing techniques



#eid Edge is digital

Digitalization and data exchange via code

- REHAU = Edgeband manufacturer (master and instance data)
 - → Data on tag (bar code, 2D-Code)
 - → tapio (datas from REHAU customized productions and stock collection)
 - → Cloud based solutions (REHAU → Cloud → Customer)
 - → Option FTP, EDI, any kind of interfaces etc.



#edge is m: lid: 2616009

MK=eiche dunkel;FK=2366Z;L=150;SE=18;SF=N;KB=L;RS348949;B=22.85;D=1.19; BK=VAT2021-4;RP=103371552;RN=2

#edgeisdigital Three variants and customized solutions available



PREMIUM Master Data



	"B"		"P"		"E"	"l"
	Example	Präfix	Example	Präfix	Example	Example
Master Data Master ID Customer material number Customer colour Length [m] Specific energy [J/cm²] Protective foil Edge band type Width [mm] Thickness [mm]	Digits very limited, mostly customer material number for shaft management. e.g. 4-8 digit code	sid mk fk I se sf kb b	RV19676571003 Eiche dunkel 2366Z 150 18 N HV oder L = Laser 23 1,2	- mk fk l se sf kb -	Eiche dunkel 2366Z 150 18 N HV oder L = Laser -	Only one number for unique identification of the roll on dataMatrix code or RFID tag if applicable. Data transmission then online.
Instance Data IInstance ID (unique identifier) ACTUAL width (test interval) ACTUAL thickness (test interval) Customer order number Production order REHAU Roll number				iid b d bk rp rn	RS348949 22,85 (IST) 1,19 (IST) VAT2021-4 103371552 2	RS348949

#edge is digital saves time and money


Advantages

- Less manual work and automated production
- Stock levels are always maintained
- No mix-ups, no missing materials
- Higher machine availability
- Keeps an overview of data: in stock and during processing
- Continuous traceability with regard to storage, machine and processing
- "Marriage" of coil with production component at the processor can take place
 - → Exact identification of which edgeband is installed on which commission
 - → Immediate identification, traceability and blocking of stocks possible (risk minimization)




Engineering progress Enhancing lives

myEdge the REHAU App




myEdge. Update

- Functions update
- So far available in DE & EN
- Translation into other languages
 - French
 - Spanish
 - Polish
 - etc.
- Different tools and applications
- More service for our customers



NEED ANY HELP? Service & Support





Edge Calucator

Example

Simply calculate remaining running meter, outer diameter or weight of the roll:


App Download options:
















RAUKANTEX eco

PP edgeband with 50% post-industrial recycled content





Design, durability & quality analogous to "standard" PP edge

Same machine parameters, no adjustment necessary





Available as: RAUKANTEX pure, RAUKANTEX pro

Product lines: RAUKANTEX color, decor, designo

Thickness: 0,4 - 3,0 mm

Widths: 16 - 104 mm

Embossing: all

Lacquers: from noble matt to mirror gloss

RAUKANTEX eco-protect- edgebands – ideal in combination with sustainable boards and surface materials

RAUKANTEX evo

Base material (PP) based on non-fossil raw materials. Transparent throughout its entire supply chain thanks to ISCC PLUS certification.

Processing samples available!



Design, durability & quality analogous to "standard" PP edge

Same machine parameters, no adjustment necessary







Available as: RAUKANTEX pure, RAUKANTEX pro

Product lines: RAUKANTEX color, decor, designo

Thickness: 0,4 - 3,0 mm

Widths: 16,0 - 104,0 mm

Embossing: all embossings available

Lacquers: from noble matt to mirror gloss



RAUKANTEX eco-protect- edgebands – ideal in combination with sustainable boards and surface materials!

Greenhouse potential based on CO₂-emissions

	Standard	RAUKANTEX eco PP	RAUKANTEX evo PP
PP	ca. 1,6 kg CO₂e	ca. 1,0 kg CO₂e	ca. 0,0 kg CO₂e
PVC	ca. 1,8 kg CO₂e	-	-
ABS	ca. 3,2 kg CO₂e	-	-

Life Cycle Assessment (LCA) study, conducted according to ISO14040:2006 and ISO14044:2006

Edgeband return concept

Redemption of unused edgeband stocks

Edgeband in unprocessed state

The customer returns to the factory, REHAU sorts according to material and color group





Edgeband return concept

Take-back of production waste without extraction

Edgeband remnants, waste from cutting, scraper strands

The customer collects and sends the material to a recycler for machine sorting by material & color and preparation.

Edgeband return concept


Take-back production waste with suction and compression

Edgeband remnants, waste from cutting, scraper strands + milling chips

The customer requires a separate extraction system for the milling chips, shreds, presses the waste into briquettes and sends them back to REHAU

Find all informations on our landing page...





REHAU Edgeband Symposium

15th june 2023, 12:00 a.m. at the company BIESSE Spa Via della Meccanica, 16, 61122 Pesaro PU, Italien



Edgeband Symposium BIESSE 2023 | REHAU www.rehau.com/sites-en/edgeband-symposium-biesse-2023

