



**Engineering progress
Enhancing lives**

**High quality.
Innovative.
Polymer.**

RAUKANTEX invisible joint edgebands
for interior doors



High quality. Innovative. Polymer.

RAUKANTEX invisible joint edgebands for interior doors

Doors with invisible joint edgebands come with countless advantages: they are long-lasting and extremely durable, enjoy the best cleaning properties, and create soft edges on the rebate and non-rebate sides of the door as well as a high-quality look.

Experience a whole new level of quality when it comes to interior doors:



- **Excellent shock resistance** reduces the risk of splintering and increases the service life of the door.



- **Lasting, high-quality look** thanks to adhesive-free welding using invisible joint technology (no build-up of dirt in the joints).



- **High ultraviolet resistance and lightfastness** (level 6–8 as per wool scale), specially for PP edges. No yellowing of the edgeband even after long periods of time – lightfastness based on EN ISO 4892-1 (assessment as per blue scale EN ISO 105-B02). Edgeband surface sealed with UV varnish, ensuring long-term protection and making it easy to clean.



- **Easy to clean.** Homogeneous sealing prevents any moisture from penetrating the surface and means even aggressive cleaning products will not damage the edges. Even heavy stains can easily be removed without residue using standard cleaning products.




- **Lowered risk of injury** thanks to soft edges on the rebate and non-rebate sides of the door. Safety edges on the door panels according to DIN EN 527-2.



**No
adhesive.
No
joints.**

Initial applications in the area of flush-closing doors (no rebate) and frames are already being introduced in the door industry. Door rebates can now also be edged with invisible joint edgebands. REHAU has developed a special new product range for this application based on the tried-and-tested RAUKANTEX pro, with a functional layer that adheres to a range of different bolt materials.



Invisible joint edgebands: homogeneous sealing of door panel edges

The areas of application for RAUKANTEX pro invisible joint edgebands are as diverse as the available designs.

- Homes
- Nurseries
- Schools
- Hospitals
- Hotel rooms
- Hostels
- Public administrative buildings
- Offices
- Barracks



Please observe the relevant technical product information, which can be obtained online at www.rehau.com/ti. Subject to technical changes.

This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

© REHAU Limited
Brinell Drive
M44 5BL Irlam Manchester,
United Kingdom
interior.rehau.uk
UKenquiries@REHAU.com

M40751 GB-en 05.2019