Engineering progress Enhancing lives

# Long-lasting matt look

High resistant edgebands RAUKANTEX scratch.protect www.rehau.com/raukantex-sp



### Matt. Durable. Resistant.

The trend away from high-gloss surfaces and towards elegant, matt designs is sweeping through the entire furniture industry. Whether in living spaces, offices, kitchens, bathrooms, shop fittings or hotels – matt is in demand everywhere.



Yet with matt surfaces in particular, differences in quality in the materials and processing are especially noticeable. It is often the edgeband of a component that is exposed to especially heavy wear. This begins during component production when the edgebands are processed, and continues later on owing to all the stresses the edgeband is subject to in everyday life.

RAUKANTEX scratch.protect is the innovative solution.

## The advantages at a glance

#### Quality

- High quality over the product life cycle
- High Scratch Resistance
- Easy to clean and resistant to dirt particles
- Soft feeling

### Design

- Permanent matt look, no visual ageing effects
- Fine, consistent structure
- No markings from fingerprints thanks to Anti-Fingerprint-effect
- Anti-Sheen-Effect: no shining up of the surface in the flat viewing angle

### Processing

- No "smoothing out" of the edgeband surface by tracers
- No protective foil necessary
- Stable and simplified production
- Available for all standard processing methods

### Gloss levels make the difference

The already well-known positive properties of the noble matt finish will now also be available in other gloss levels. All polypropylene and ABS edgebands in the solid colour, decorative and designo ranges are available with scratch.protect finish.

#### The following gloss levels are available to order:

- Noble matt SP
- Gloss level 06 SP
- Gloss level 08 SP

The picture shows the standard lacquer quality (1, 3, 5) interacting with the scratch.protect quality (2, 4, 6).









This document is protected by copyright. All rights based on this are reserved. No part of this publication may be translated, reproduced or transmitted in any form or by any similar means, electronic or mechanical, photocopying, recording or otherwise, or stored in a data retrieval system.

Our verbal and written advice with regard to usage is based on years of experience and standardised assumptions and is provided to the best of our knowledge. The intended use of REHAU products is described comprehensively in the technical product information. The latest version can be viewed at www. rehau.com/TI. We have no control over the application, use or processing of the products. Responsibility for these activities therefore remains entirely with the respective user/processor. Where claims for liability nonetheless arise, they shall be governed exclusively according to our terms and conditions, available at www.rehau.com/conditions, insofar as nothing else has been agreed upon with REHAU in writing. This shall also apply for all warranty claims, with the warranty applying to the consistent quality of our products in accordance with our specifications. Subject to technical changes.

www.rehau.com/locations

© REHAU Industries SE & Co. KG Helmut-Wagner-Straße 1 95111 Rehau Germany

M00601 EN 04.2023